

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	408	(Akira or Atsushi).in. and reverse adj rotation	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/06 08:33
L2	6	(Akira or Atsushi).in. and reverse adj rotation and generator and pulser	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/06 08:35
L3	2	(Akira or Atsushi).in. and reverse adj rotation and generator and pulser and first adj value	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/06 08:36
L4	1	(spark adj ignited and reverse adj rotation and generator and pulser and first adj value).clm.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/06 08:37
S1	669	123/631,630,179.5,179.28,179.6.ccls.	USPAT	OR	OFF	2006/02/25 07:58
S2	16	S1 and (speed or revolution\$1)with engine and reverse adj rotation	USPAT	OR	OFF	2004/12/13 13:37
S3	11	123/630,631.ccls. and engine with speed and reverse with(rotation or revolution\$1) and start \$4 and ignition	USPAT	OR	OFF	2004/12/13 15:09
S4	2	("4953520" "6438487").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/13 14:30
S5	3690	engine and reverse with rotat\$4 and engine adj speed	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:32
S6	176	S5 and ignition with (prohibit\$4 or "stopping" or prevent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:34
S7	110	S6 and speed with (decreas\$4 or threshold or limit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:35
S8	87	S7 and engine with start\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 14:36
S9	74	engine and revers\$4 with rotation\$4 and (engine adj speed) with (decreasing or lessen \$4 or dwindle\$4 or subsid\$4) and engine with start\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:05
S10	36	S9 and ignition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/13 15:05

S11	1	123/630,631.ccls. and engine with (speed or rotation) and reverse with(rotation\$4 or revolution\$\$) and start\$4 and ignition	USPAT	OR	OFF	2004/12/13 15:13
S12	24	123/630,631.ccls. and engine with (speed or rotation) and reverse with(rotation\$4 or revolution\$4 or running) and start\$4 and ignition	USPAT	OR	OFF	2004/12/13 15:14
S13	1	"6435158".pn.	US-PGPUB; USPAT	OR	OFF	2006/02/22 11:16
S14	1	S13 and (generat\$3 or alternator\$1 or charg\$3)	US-PGPUB; USPAT	OR	OFF	2006/02/22 11:18
S15	1	"6435158".pn. and "after" with start\$3	US-PGPUB; USPAT	OR	OFF	2006/02/24 09:03
S16	1	"6435158".pn.	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:41
S17	0	"6435158".pn. and previous with speed	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:41
S18	0	"6435158".pn. and previous\$2 with speed	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:42
S19	1	"6435158".pn. and speed with threshold and engine adj speed	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:49
S20	1	"6435158".pn. and speed with threshold and engine adj speed and (compar\$3 or previous or past or measured)with speed	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:51
S21	1	"6435158".pn. and FNSTARTRPM	US-PGPUB; USPAT	OR	OFF	2006/02/24 12:52
S22	1	"6435158".pn. and FNSTARTRPM and engine adj speed and threshold	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:46
S23	1	"6435158".pn. and starter adj status	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:17
S24	1	"6435158".pn. and start\$2 adj status	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:18
S25	1	"6435158".pn. and start\$2	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:18
S26	1	"6435158".pn. and FNSTARTRPM and engine adj speed and threshold and determine\$1	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:48
S27	1	"6435158".pn. and FNSTARTRPM and operating adj parameter\$1	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:49
S28	1	"6435158".pn. and speed and threshold and operating adj parameter\$1	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:49
S29	1	"6435158".pn. and speed and threshold and calibrated	US-PGPUB; USPAT	OR	OFF	2006/02/24 13:51
S30	1	"6435158".pn. and speed and threshold and calibrated and "vehicle operating parameters"	US-PGPUB; USPAT	OR	OFF	2006/02/24 14:24
S31	1	"5020506".pn. and speed with (coil or pulse or generat\$2)	US-PGPUB; USPAT	OR	OFF	2006/02/24 14:25
S32	0	("6435158" or "5020506").pn. and (mark\$1 or notch\$2)	US-PGPUB; USPAT	OR	OFF	2006/02/25 07:59
S33	1	("6435158" or "5020506").pn. and (mark\$1 or notch\$2 ot TDC)	US-PGPUB; USPAT	OR	OFF	2006/02/25 08:04
S34	2	("6435158" or "5020506").pn. and speed with signal	US-PGPUB; USPAT	OR	OFF	2006/02/25 08:27
S35	0	("6435158" or "5020506").pn. and generator \$1 and phase\$1	US-PGPUB; USPAT	OR	OFF	2006/02/25 08:28

S36	1	("6435158" or "5020506").pn. and generator \$1	US-PGPUB; USPAT	OR	OFF	2006/02/25 08:31
S37	1	("6435158" or "5020506").pn. and generator \$1 and (add\$3 or sum\$4)	US-PGPUB; USPAT	OR	OFF	2006/02/25 08:32
S38	0	jp-9151836-\$.did.	EPO; JPO; DERWENT	OR	OFF	2006/08/03 06:26
S39	2	jp-09151836-\$.did.	EPO; JPO; DERWENT	OR	OFF	2006/08/03 06:26

1/ 6/ 2009 8:37:40 AM

C:\Documents and Settings\mgimie\My Documents\EAST\workspaces\10605843.wsp